MATERIAL SAFETY DATA SHEET

The Allfixedup Stuff

Identity (Trade name as used on label)

 Manufacturer
 MSDS #

 Jack's Magic Products, Inc.
 N/A

 Address
 CAS #

 6950 112th Circle
 N/A

 Date Prepared

 Largo, FL 33773
 6/19/00

 Phone # (for information)
 Prepared By

 1-800-348-1656
 N/A

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS – Chemical Name & Common Name	%	OSHA	ACHH	OTHER LIMITS
(Hazardous Components 1% or greater, carcinogens 0.1% or greater)		PEL	TLV	RECOMMENDED
Contains: Proprietary Formulation				
Non-Hazardous Ingredients				
TOTAL	100			

SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point Specific Gravity (H₂ =1) >212 deg. F 1.27 Vapor Pressure (mm/Hg and Temperature) Melting Point <water N/A Vapor Density (Air = 1) **Evaporation Rate** N/A <1 Solubility in Water Water Reactive Complete N/A Appearance and Color

Clear, slightly yellow liquid.

SECTION 3 - FIRE AND EXPLOSION DATA

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL
N/A (water solution)	N/A	N/A	N/A	N/A
E				

Extinguisher Media

Non-flammable, use appropriate extinguishing methods for surrounding fire.

Special Fire Fighting Procedures

Self-contained positive pressure breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

Unusual Fire and Explosion Hazards

None known.

SECTION 4 – REACTIVITY HAZARD DATA					
Stability Conditions to Avoid ☐ Stable					
Unstable Contact with strong acids, bases, oxidizing agents, alkaloidal and heavy metal salts. Incompatibility (Materials to Avoid)					
Strong acids, bases, oxidizing agents, alkaloidal and heavy metal salts. Hazardous Decomposition Products					
Includes bromine					
Hazardous Polymerization Conditions to Avoid Will Not Occur					
☐ May Occur Strong acids, bases, oxidizing agents, alkaloidal and heavy metal salts.					
SECTION 5 – HEALTH HAZARD DATA					
Primary Routes of Entry Carcinogen Listed In ☑ Inhalation ☑ Ingestion □ NTP □ OSHA					
Skin Absorption □ Not Hazardous □ IARC Monograph ☑ Not Listed					
Health Hazards					
Acute: The eyes, skin or nasal passages could be irritated from prolonged exposure. Chronic: None known.					
Signs and Symptoms of Exposure					
The eyes, skin or nasal passages could be irritated from prolonged exposure. Medical Conditions Generally Aggravated by Exposure					
None known.					
Emergency First Aid Procedures					
See below. Eye Contact					
Flush immediately with plenty of water for at least 15 minutes. Seek medical attention immediately if irritation persists.					
Skin Contact Wash thereughly with soon and water. Demoye contaminated slething and clean before rouse					
Wash thoroughly with soap and water. Remove contaminated clothing and clean before reuse. Inhalation					
Remove to fresh air. Give oxygen or apply artificial respiration if needed.					
Ingestion Drink one to two glasses of water. Do not induce vomiting. Seek medical attention.					
SECTION 6 – CONTROL AND PROTECTIVE MEASURES					
Respiratory Protection (Specific Type)					
No special ventilation requirements are needed. Protective Gloves Eye Protection					
Chemical resistant. Goggles or glasses with side shield recommended.					
Ventilation To Be Used ☐ Local Exhaust ☐ Mechanical (general) ☐ Special ☐ Other (specify):					
Other Protective Clothing and Equipment					
No special requirements are necessary. Hygienic Work Practices					
Do not get in eyes, or on clothing. Avoid breathing vapor and mist. Handle with due care.					
SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE					
Steps to be taken of material is spilled or released					
Small spills should be flushed with large quantities of water. Larger spills should be collected for disposal. Slippery under foot.					
Water Disposal Methods					
Recovered material should be disposed by incineration or deposited in a landfill where permitted by federal, state and local regulations. To the best of Jack's Magic Products, Inc. knowledge, the product is not regulated by CERCLA/RCRA as a hazardous waste material.					
Precautions to be taken in handling and storage Store in a cool, dry area. Keep out of reach of children. For industrial use only.					
Other Precautions and/or Special Hazards					
Empty container should be disposed of in an environmentally safe manner and in accordance with governmental regulations.					