# MATERIAL SAFETY DATA SHEET

# Metal Solution Too, "The Blue Stuff"

Identity (Trade name as used on label)

1-800-348-1656	N/A	
Phone # (for information)	Prepared By	
Largo, FL 33773	6/1/99	
	Date Prepared	
6950 112 <sup>th</sup> Circle	N/A	
Address	CAS #	
Jack's Magic Products, Inc.	N/A	
Manufacturer	MSDS #	

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

### **SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS – Chemical Name & Common Name	%	OSHA	ACHH	OTHER LIMITS
(Hazardous Components 1% or greater, carcinogens 0.1% or greater)		PEL	TLV	RECOMMENDED
Proprietary Formulation	100			
Contains: (1-Hydroxyelthylidene- 1, 1-				
diphosphonic Acid)				
Non-Hazardous Ingredients				
TOTAL	100			

## **SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS**

Boiling Point	Specific Gravity (H <sub>2</sub> =1)	
Greater than 212 deg. F	1.19	
Vapor Pressure (mm/Hg and Temperature)	Melting Point	
Similar to water	N/A	
Vapor Density (Air = 1)	Evaporation Rate	
Similar to water	N/A	
Solubility in Water	Water Reactive	
Complete	N/A	

Appearance and Color

Clear blue (may turn straw-colored to light amber if dye fades) liquid; slight odor.

### **SECTION 3 – FIRE AND EXPLOSION DATA**

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL
Non-flammable	N/A	N/A	N/A	N/A

Extinguisher Media

#### Waterfog CO2, Foam, Dry Chemical

Special Fire Fighting Procedures

Eliminate ignition source. Wear self-contained breathing apparatus and complete personal protective equipment. Use water spray to cool fire, exposed structures and tanks, and to disperse vapor cloud if fire is not present.

Unusual Fire and Explosion Hazards

Although this material does not meet the parameters for flammability, it will burn in the presence of a strong ignition source after the water is removed.

SECTION 4 – REACTIVITY HAZARD DATA				
Stability Conditions to Avoid  ☑ Stable				
Unstable Avoid contact with strong oxidizing agents.  Incompatibility (Materials to Avoid)				
Oxidizers				
Hazardous Decomposition Products  None known.				
Hazardous Polymerization Conditions to Avoid				
<ul> <li>Will Not Occur</li> <li>May Occur</li> <li>Avoid contact with strong oxidizing agents.</li> </ul>				
SECTION 5 – HEALTH HAZARD DATA				
Primary Routes of Entry       Carcinogen Listed In         ☑ Inhalation       ☑ Ingestion       ☐ NTP       ☐ OSHA         ☑ Skin Absorption       ☐ Not Hazardous       ☐ IARC Monograph       ☒ Not Listed				
Health Hazards				
Acute: May cause skin and eye burns.				
Chronic: None known.				
Signs and Symptoms of Exposure  May cause skin and eye burns.				
Medical Conditions Generally Aggravated by Exposure				
None known.  Emergency First Aid Procedures				
See below.				
Eye Contact Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids open during washing. See a physician if irritation occurs.				
Skin Contact Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Thoroughly wash before reuse or discard. See a physician if irritation occurs.				
Inhalation Remove patient from contaminated area. Give oxygen if needed. See a physician if irritation of respiratory tract occurs.				
Ingestion  Do not induce vomiting. Drink a quart of water. (Do not give food to an unconscious person). Seek immediate				
medical attention.				
SECTION 6 – CONTROL AND PROTECTIVE MEASURES				
Respiratory Protection (Specific Type)				
None required for normal operations.				
Protective Gloves Eye Protection  Impervious gloves Splash-proof safety goggles.				
Ventilation To Be Used  ☐ Local Exhaust ☐ Mechanical (general) ☐ Special ☐ Other (specify): Normal room ventilation.				
Other Protective Clothing and Equipment Wear protective clothing to minimize skin contact and chemical resistant safety shoes.				
Hygienic Work Practices  Do not get in eyes, on skin, or on clothing. Avoid breathing vapor and mist. Handle with due care.				
SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE				
Steps to be taken of material is spilled or released  Floor will become slippery. Use care. Wear splash-proof eye protection and impervious clothing. Contain spill with inert material (sand, earth, etc.) and transfer to separate containers for disposal.				
Water Disposal Methods  Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain vapor or product residue and can be dangerous.				
Precautions to be taken in handling and storage  Avoid contact with skin and eyes. Avoid contact with strong oxidizers. Keep out of reach of children.				
Other Precautions and/or Special Hazards				

N/A