MATERIAL SAFETY DATA SHEET

Metal Solution, "The Pink Stuff"

Identity (Trade name as used on label)

Manufacturer	MSDS #	
Jack's Magic Products, Inc.	N/A	
Address	CAS #	
6950 112 th Circle	N/A	
	Date Prepared	
Largo, FL 33773	6/1/99	
Phone # (for information)	Prepared By	
1-800-348-1656	N/A	

Emergency Phone #

1-800-424-9300 (international 703-527-3887)

SECTION 1 – MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS – Chemical Name & Common Name	%	OSHA	ACHH	OTHER LIMITS
(Hazardous Components 1% or greater, carcinogens 0.1% or greater)		PEL	TLV	RECOMMENDED
Proprietary Formulation	100			
Contains: (1-Hydroxyelthylidene-1, 1-				
diphosphonic Acid)				
Non-Hazardous Ingredients				
TOTAL	100			

SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	Specific Gravity (H ₂ = 1)	
Greater than 212 deg. F	1.48	
Vapor Pressure (mm/Hg and Temperature)	Melting Point	
Similar to water	N/A	
Vapor Density (Air = 1)	Evaporation Rate	
Similar to water	N/A	
Solubility in Water	Water Reactive	
Complete	N/A	

Appearance and Color

Pink or straw colored with slight odor

SECTION 3 – FIRE AND EXPLOSION DATA

Flash Point & Method Used	Auto Ignition Temperature	Flamability Limits in Air % by Volume	LEL	UEL
Non-Flammable	N/A	N/A	N/A	N/A

Extinguisher Media

Waterfog CO2, Foam, Dry Chemical

Special Fire Fighting Procedures

Eliminate ignition source. Wear self-contained breathing apparatus and complete personal protective equipment. Use water spray to cool fire, exposed structures and tanks, and to disperse vapor cloud if fire is not present.

Unusual Fire and Explosion Hazards

Although this material does not meet the parameters for flammability, it will burn in the presence of a strong ignition source after the water is removed.

SECTION 4 – REACTIVITY HAZARD DATA
Stability Conditions to Avoid
Stable St
☐ Unstable Avoid contact with strong oxidizing agents. Incompatibility (Materials to Avoid)
Oxidizers
Hazardous Decomposition Products None known.
Hazardous Polymerization Conditions to Avoid
 Will Not Occur May Occur Avoid contact with strong oxidizing agents.
Avoid contact with strong oxidizing agents.
SECTION 5 – HEALTH HAZARD DATA
Primary Routes of Entry Carcinogen Listed In
☐ Infalation ☐ Ingestion ☐ NTP ☐ OSHA ☐ IARC Monograph ☐ Not Listed
Health Hazards
Acute: May cause skin and eye burns. Chronic: None known.
Signs and Symptoms of Exposure
May cause skin and eye burns.
Medical Conditions Generally Aggravated by Exposure None known.
Emergency First Aid Procedures
See below. Eye Contact
Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids open during washing. See a
physician if irritation occurs. Skin Contact
Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Thoroughly wash before reuse or discard. See a physician if irritation occurs.
Inhalation
Remove patient from contaminated area. Give oxygen if needed. See a physician if irritation of respiratory tract occurs.
Ingestion Description Description Description Description (Description found to a proposition proposition Description Descrip
Do not induce vomiting. Drink a quart of water. (Do not give food to an unconscious person). Seek immediate medical attention.
CECTION (CONTROL AND PROTECTIVE MEACURES
SECTION 6 – CONTROL AND PROTECTIVE MEASURES
Respiratory Protection (Specific Type)
None required for normal operations. Protective Gloves Eye Protection
Impervious gloves Splash-proof safety goggles. Ventilation To Be Used
ventilation 10 Be Used ☐ Local Exhaust ☐ Mechanical (general) ☐ Special ☐ Other (specify): Normal room ventilation .
Other Protective Clothing and Equipment
Wear protective clothing to minimize skin contact and chemical resistant safety shoes. Hygienic Work Practices
Do not get in eyes, on skin, or on clothing. Avoid breathing vapor and mist. Handle with due care.
SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE
Steps to be taken of material is spilled or released
Floor will become slippery. Use care. Wear splash-proof eye protection and impervious clothing. Contain spill with inert material (sand, earth, etc.) and transfer to separate containers for disposal.
With mert material (sand, earth, etc.) and transfer to separate containers for disposal. Water Disposal Methods
Dispose of in accordance with all applicable local, state and federal regulations. Empty containers retain
vapor or product residue and can be dangerous. Precautions to be taken in handling and storage
Avoid contact with skin and eyes. Avoid contact with strong exidizers. Keep out of reach of children

Other Precautions and/or Special Hazards: N/A