MATERIAL SAFETY DATA SHEET

~S L£ISURE

Page 1 of 4

Leisure Time Defender

1. Product And Company Identification		
Supplier	Manufacturer	
Leisure Time	Advantis Technologies, Inc.	
1400 Bluegrass Lakes Parkway	1400 Bluegrass Lakes Parkway	
Alpharetta, GA 30004 United States	Alpharetta, GA 30004 United States	
Telephone Number: (770) 521-5999	Telephone Number: (770) 521-5999	
FAX Number: (770) 521-5959	FAX Number: (770) 521-5959	
Web Site: www.poolspacare.com	Web Site: www.poolspacare.com	
Supplier Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300	Manufacturer Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300	

Issue Date: 09/01/2004

Product Name: Leisure Time Defender Chemical Name: Polyacrylamide Chemical Formula: Proprietary Mixture

MSDS Number: 130

2. Composition/Information On Ingredients			
Ingredient Name	CAS Number	Percent Of Total Weight	
CITRICACID	77-92-9		

Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).

3. Hazards Identification

Primary Routes(s) Of Entry

Skin Contact, Eye Contact

Eye Hazards

Causes eye irritation which may lead to blindness.

Skin Hazards

Causes skin irritation.

Ingestion Hazards

If ingested, get immediate medical attention.

Inhalation Hazards

May causes respiratory tract irritation.

Signs And Symptoms

Irritation of Eyes, Skin and Respiratory Passages

Leisure Time Defender

First Aid (Pictograms)



4. First Aid Measures

Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Call a physician or a poison control center immediately.

Skin

Wash the affected area under tepid running water using a mild soap. Remove contaminated clothing and shoes.

Ingestion

If victim is fully conscious, give one or two cups of water or milk to drink. Get medical attention immediately.

Inhalation

If breathing is difficult, give oxygen. If inhaled, remove to fresh air. Consult a physician.

Fire Fighting (Pictograms)



5. Fire Fighting Measures

Flash Point: n/a °F
Flammability Class: n/a

Fire And Explosion Hazards

Spills of this material are very slippery. The area should be flushed with water.

Extinguishing Media

Use the appropriate extinguishing media for the surrounding fire.

Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

SPILLS OF THIS MATERIAL ARE VERY SLIPPERY. Clean up spill immediately. Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Flush spill area with water to remove residue and apply additional dry sweeping compound. Use appropriate containers to avoid environmental contamination.

7. Handling And Storage

Handling And Storage Precautions

Keep out of reach of children. Store material in a cool and dry place.

Handling Precautions

Do not get in eyes.

Storage Precautions

Keep out of reach of children. Store in a cool dry place. Avoid contact with Oxidizing agents.

Work/Hygienic Practices

Use safe chemical handling procedures suitable for the hazards presended by this material. Spills of this material are very slippery.

Leisure Time Defender

Protective Clothing (Pictograms)



8. Exposure Controls/Personal Protection

Engineering Controls

Local exhaust acceptable. Special exhaust not required

Eye/Face Protection

safety glasses or goggles.

Skin Protection

Chemical-resistant gloves.

Respiratory Protection

None normally required.

9. Physical And Chemical Properties

Appearance

Clear green liquid

<u>Odor</u>

Mild

Chemical Type: Mixture
Physical State: Liquid
Melting Point: n/a °F
Boiling Point: 212 °F
Specific Gravity: 1.0-1.1
Percent Volitales: 95%

Vapor Pressure: Not Determined

Vapor Density: >1 pH Factor: 6-8

Solubility: Miscible in water Viscosity: Not Determined Evaporation Rate: <1

10. Stability And Reactivity

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions To Avoid (Stability)

Avoid contact with strong Strong Oxidizing agents

Incompatible Materials

Strong Oxidizing Agents

Hazardous Decomposition Products

Oxides of Nitrogen and Carbon or sulfur oxides and/or hydrogen chloride gas

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

Leisure Time Defender

13. Disposal Considerations

Refer to applicable local, state and federal regulations as well as industry standards.

14. Transport Information

Proper Shipping Name

Corrosive liquid, basic, organic, n.o.s. (ethylenediaminetriacetic acid, trisodium salt solution)

Hazard Class

8, PGIII (<=4L Consumer Commodity ORM-D)

DOT Identification Number

UN3267


Additional Shipping Paper Description

North American Emergency Response Guide No. 153

Not regulated by DOT for ground shipments [see exception for material corrosive to steel/aluminum 49CFR 173.154(d)].

15. Regulatory Information

Canadian Regulatory Information





16. Other Information

Revision/Preparer Information

MSDS Preparer: JHW

This MSDS Superceeds A Previous MSDS Dated: 11/14/2000

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitablility of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

Leisure Time

Printed Using MSDS Generator™ 2000