# barb"

# MATERIAL SAFETY DATA SHEET

## **Robarb Granular**

1. I	Product	And	Company	/ Identification
------	---------	-----	---------	------------------

Supplier
Robarb
1400 Bluegrass Lakes Parkway
Alpharetta, GA 30004 United States

Telephone Number: (770)521-5999 FAX Number: (770)521-5959 Web Site: www.poolspacare.com

Supplier Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300

<u>Manufacturer</u>

Advantis Technologies, Inc. 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States

Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com

Manufacturer Emergency Contacts & Phone Number

CHEMTREC - DAY OR NIGHT: (800) 424-9300

Issue Date: 02/28/2006

Product Name: Robarb Granular

Chemical Name: Sodium dichloroisocyanurate, dihydrate

CAS Number: 51580-86-0

Chemical Family: Chloroisocyanurate Chemical Formula: NaCl2(NCO)3x2H2O

MSDS Number: 46

**Synonyms** 

Sodium Dichlor; Sodium dichloroisocyanurate, dihydrate; Sodium dichloro-s-triazinetrione dihydrate

#### 2. Composition/Information On Ingredients

Ingredient	CAS	Percent Of
Name	Number	Total Weight
SODIUMCHLORIDE	7647-14-5	
SODIUM DICHLOROISOCYANURATE, DIHYDRATE	51580-86-0	

Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).

#### EMERGENCY OVERVIEW

Harmful if swallowed.

## 3. Hazards Identification

#### **Eve Hazards**

Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

#### **Skin Hazards**

Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling, and scab formation. Prolonged skin exposure may cause permanent damage.

## Ingestion Hazards

Irritation and/or burns can occur to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration. Ingestion causes severe damage to the gastrointestinal tract with the potential to cause perforation.

# **Robarb Granular**

#### 3. Hazards Identification - Continued

#### **Inhalation Hazards**

Irritating to the nose, mouth, throat, and lungs. It may also cause burns to the respiratory tract with the production of lung edema that can result in shortness of breath, wheezing, choking, chest pain, and impairment of lung function. Inhalation of high concentrations can result in permanent lung damage from the corrosive action of the lung.

#### Signs And Symptoms

Irritation of eyes and respiratory passages.

## Conditions Aggravated By Exposure

Asthma, respiratory and cardiovascular disease.

## First Aid (Pictograms)



#### 4. First Aid Measures

#### Eye

Holding the eyelids apart, flush eyes promptly with copious flowing water for at least 20 minutes. Get medical attention immediately.

#### Skin

Remove contaminated clothing. Wash skin thoroughly with mild soap and plenty of water for at least 15 minutes. Wash clothing before re-use.

#### Ingestion

If swallowed, wash mouth thoroughly with plenty of water and give water to drink. Get medical attention immediately. Never give an unconscious person anything to drink.

#### Inhalation

In case of dust inhalation or breathing fumes released from heated material, remove person to fresh air. Keep him quiet and warm. Apply artificial respiration if necessary and get medical attention immediately.

## Note To Physician

Corrosive. No specific antidote. Treat symptomatically and supportively. In case of ingestion do not induce vomiting.

#### Fire Fighting (Pictograms)



## 5. Fire Fighting Measures

Flash Point: N/A °F Autoignition Point: N/A °F

#### Fire And Explosion Hazards

When heated to decomposition, may release poisonous and corrosive fumes of nitrogen trichloride, chlorine and carbon monoxide.

#### **Extinguishing Media**

Water. Do not use dry chemical extinguisher containing ammonia compounds.

## Fire Fighting Instructions

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. Cool containers with water spray. On small fires, use water spray or fog. On large fires, use deluge or fog

# **Robarb Granular**

## 5. Fire Fighting Measures - Continued

#### Fire Fighting Instructions - Continued

streams. Flooding amounts of water may be required before extinguishment can be accomplished.

## 6. Accidental Release Measures

For small spills in a well-ventilated area, wear a NIOSH approved half-face or full face tight fitting respirator or a losse fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls; chemical resistant gloves; chemical resistant footwear; and chemical resistant headgear for overhead exposure.

For clean up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering the entire body to prevent personal contact with material. CAUTION - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

**After Spill / leakage:** Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur.

**On Soil:** Do not contaminate spill material with any organic materials, ammonia, ammonium salts, or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container.

**On Water:** This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately.

**In Air:** Vapors may be supressed by the use of water fog.

## 7. Handling And Storage

## **Handling And Storage Precautions**

**Keep out of reach of children.** Store material in a cool and dry place.

#### **Handling Precautions**

Do not take internally. Avoid contact with skin, eyes, clothing. Upon contact with skin, eyes, wash off with water.

## **Storage Precautions**

Store in a cool, dry, well-ventilated area away from incompatible materials. Do not store at temperatures above 60C/140F. Product has an indefinite shelf-life limitation.

## Work/Hygienic Practices

Use safe chemical handling procedures suitable for the hazards presented by this material.

#### Protective Clothing (Pictograms)









#### 8. Exposure Controls/Personal Protection

## **Engineering Controls**

Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs. Otherwise, ensure good general ventilation.

#### **Eye/Face Protection**

Use chemical safety glasses to avoid eye contact. Where industrial use occurs, chemical goggles maybe required.

# **Robarb Granular**

## 8. Exposure Controls/Personal Protection - Continued

## Skin Protection

Neoprene gloves. Impervious body covering clothes, boots, and neoprene apron.

#### **Respiratory Protection**

When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection against chlorine gas and dust/mist pre-filter. A respiratory protection program meeting OSHA 1910.134 and ANZI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

#### Other/General Protection

Safety shower and eye bath should be provided. Do not eat, drink, or smoke until after-work showering and changing clothes. Wear long sleeves.

## 9. Physical And Chemical Properties

## **Appearance**

White granular

## <u>Odor</u>

Mild chlorine-like

Chemical Type: Mixture Physical State: Solid Melting Point: N/A °F Boiling Point: N/A °F Specific Gravity: 0.96

Molecular Weight: NOT DETERMINED Percent Volitales: NOT VOLATILE

Vapor Pressure: N/A Vapor Density: N/A

pH Factor: 6-6.5 At a Concentration Of a 1% solution in water

Solubility: 25g/100ml at 30C Evaporation Rate: N/A

Thermal Decomposition: Begins to lose 1 mole water at approzimately 50C; second mole water at 95C. Decomposes at

240-250C.

## 10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

## Conditions To Avoid (Stability)

Do not package in paper or cardboard. Do not heat above 240C (464F).

## **Incompatible Materials**

Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.

## **Hazardous Decomposition Products**

Nitrogen trichloride, chlorine, carbon monoxide.

#### 11. Toxicological Information

## **Acute Studies**

Rat Oral LD50 735 mg/kg Rabbit Dermal LD50 >2000 mg/kg

Rat Inhalation LC50 >50 mg/m3/1hour Eye Irritation (rabbit) Corrosive

Dermal Irritation (rabbit) Corrosive

# **Robarb Granular**

## 11. Toxicological Information - Continued

#### **Acute Studies - Continued**

Dermal Sensitization (guinea pig) Not a sensitizer

## **Acute Oral Effects**

LD50 mg/kg Rat >= 910gr/kg

## **Subchronic (Target Organ Effects)**

This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. There are no known or reported effects from repeated exposure. Toxicological investigation indicates it does not produce significant effects from chronic exposure.

## Chronic/Carcinogenicity

Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.

## **Teratogenicity (Birth Defects)**

Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day 15 of gestation, did not induce any significant teratogenic effects.

#### Mutagenicity (Genetic Effects)

Not mutagenic in five Salmonella strains with or without metabolic activation.

#### **Conditions Aggravated By Overexposure**

Asthma, respiratory and cardiovascular disease.

## 12. Ecological Information

#### Acute Toxicity - Fish And Invertebrates

96 hour - LC50 - Fish 0.22 mg/l (Rainbow Trout)

0.28 mg/l (bluegill sunfish)

48 hour - LC50 - Daphnia magna 0.2 mg/l

## **Acute And Dietary Toxicity - Birds**

Bobwhite quail, acute oral LD50 730 mg/kg

Mallard duck, acute oral LD50 3300 mg/kg
Mallard duck, dietary LC50 >10,000 ppm
Bobwhite quail, dietary LC50 >10,000 ppm

#### 13. Disposal Considerations

Refer to applicable local, state and federal regulations as well as industry standards.

#### 14. Transport Information

#### Proper Shipping Name

**NOT REGULATED** 

## **Hazard Class**

**NOT REGULATED** 

#### **DOT Identification Number**

NONE

## 15. Regulatory Information

## U.S. Regulatory Information

Reported in the EPA TSCA Inventory

#### SARA Hazard Classes

Acute Health Hazard

Fire Hazard


## **Robarb Granular**

15. Regulatory Information - Continued

SARA Hazard Classes - Continued

SARA Section 313 Notification

This product does not contain a chemical listed at or above de minimis concentrations.



16. Other Information

**Revision/Preparer Information** 

MSDS Preparer: JHW

This MSDS Superceeds A Previous MSDS Dated: 07/26/2000

#### **Disclaimer**

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitablility of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

#### Robarb

Printed Using MSDS Generator™ 2000