

FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE

USA: 1-423-780-2970)

1-800-424-9300 (OUTSIDE

USA: 1-703-527-3887)

1-949-474-7707

SDS # : 497-19-8

Revision Date: 2015-04-30

Format: N/A

Version 5.01

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Supplier

Aqua Tri®

17872 Mitchell N.

Irvine, CA, 92614-6034

USA

Telephone: +19494747707

Telefax: +19494747024

Web: WWW.ALLCLEAR.COM

Product Identifier

Product Name All Clear® Soda Ash

Other Means of Identification

Product Code(s) 497-19-8

Synonyms Sodium Carbonate, anhydrous; Carbonic acid, disodium salt;  
Disodium carbonate

Chemical Family Alkali salt

Recommended use of the chemical and restrictions on use: Glass manufacture, Personal care, Detergent, Water treatment chemical,  
Chemical processing.

Restrictions on use: See section 16 for more information

### 2. HAZARDS IDENTIFICATION

#### Classification

#### OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2

SDS # : 497-19-8

Revision Date: 2015-04-30

Format: N/A

Version 5.01

GHS Label elements, including precautionary statements

## EMERGENCY OVERVIEW

**Warning****Hazard Statements**

H319 - Causes serious eye irritation

**Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

**Precautionary Statements - Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

**Hazards not otherwise classified (HNOC)**

No hazards not otherwise classified were identified.

**Other Information**

May be harmful if swallowed.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family                      Alkali salt.  
 Formula                                      Na<sub>2</sub>CO<sub>3</sub>

Chemical name	CAS-No	Weight %
Sodium carbonate	497-19-8	100

Synonyms are provided in Section 1.

## 4. FIRST AID MEASURES

**Eye Contact**                                      Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Skin Contact**                                      Wash off with warm water and soap. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use.

**Inhalation**    Remove person to fresh air. If signs/symptoms continue, get medical attention.

<b>Ingestion</b>	Never give anything by mouth to an unconscious person Get medical attention if symptoms occur	
<b>Most important symptoms and effects, both acute and delayed</b>	Causes serious eye damage / eye irritation.	
<b>Indication of immediate medical attention and special treatment needed, if necessary</b>	Treat symptomatically.	SDS # : 497-19-8 Revision Date: 2015-04-30 Format: N/A Version 5.01

### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing agent suitable for type of surrounding fire.
<b>Specific Hazards Arising from the Chemical</b>	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
<b>Hazardous Combustion Products</b>	Fumes of sodium oxide. Carbon oxides (COx).
<b><u>Explosion data</u></b>	
<b>Sensitivity to Mechanical Impact</b>	Not sensitive.
<b>Sensitivity to Static Discharge</b>	Not sensitive.
<b>Protective equipment and precautions for firefighters</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Avoid dust formation. Sweep up to prevent slipping hazard.
<b>Other</b>	For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<b>Environmental Precautions</b>	Do not flush into surface water or sanitary sewer system.
<b>Methods for Containment</b>	Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indicated in Section 13.

### 7. HANDLING AND STORAGE

<b>Handling</b>	Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected.
<b>Storage</b>	Store in original container. Keep in properly labeled containers. Keep container tightly closed.
<b>Incompatible products</b>	Aluminium. Powdered aluminum. Acids

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies Local nuisance dust standards apply



### Appropriate engineering controls

**Engineering measures** Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

### Individual protection measures, such as personal protective equipment

SDS # : 497-19-8  
Revision Date: 2015-04-30  
Format: N/A  
Version 5.01

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Wear suitable protective clothing. Protective shoes or boots.

**Hand Protection** Nitrile rubber, Neoprene gloves

**Respiratory Protection** In case of inadequate ventilation wear respiratory protection.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

**General information** These recommendations apply to the product as supplied

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	Granules
<b>Physical State</b>	Solid
<b>Color</b>	White
<b>Odor</b>	odorless
<b>Odor threshold</b>	Not applicable
<b>pH</b>	11.4 (1% solution in water)
<b>Melting point/freezing point</b>	851 °C
<b>Boiling Point/Range</b>	No information available
<b>Flash point</b>	Not applicable
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid, gas)</b>	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available
<b>Vapor density</b>	No information available
<b>Density</b>	No information available
<b>Specific gravity</b>	2.52
<b>Water solubility</b>	212.5 g/L @ 20 °C
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	400 °C
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	Not explosive
<b>Oxidizing properties</b>	Non-oxidizing
<b>Molecular weight</b>	105.99
<b>Bulk density</b>	0.86 - 1.12 g/cm <sup>3</sup> (Dense grades) 0.70 - 0.90 g/cm <sup>3</sup> (Light Grades)
<b>K<sub>st</sub></b>	0 bar m/s

## 10. STABILITY AND REACTIVITY

**Reactivity** None under normal use conditions.

**Chemical Stability** Stable. Decomposes by reaction with strong acid.

**Possibility of Hazardous Reactions** None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**Incompatible materials** Aluminium. Powdered aluminum. Acids.

**Hazardous Decomposition Products** Sodium oxides. Carbon oxides (COx).

SDS # : 497-19-8  
 Revision Date: 2015-04-30  
 Format: N/A  
 Version 5.01

### 11. TOXICOLOGICAL INFORMATION

#### Product Information

**LD50 Oral** 2,800 mg/kg (rat)  
**LD50 Dermal** > 2,000 mg/kg (rabbit)  
**LC50 Inhalation** 2.3 mg/L (rat)

**Eye Contact** Irritating to eyes.  
**Skin Contact** Non-irritating  
**Sensitization** Patch test on human volunteers did not demonstrate sensitization properties.

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic toxicity** No known effect.  
**Mutagenicity** No information available  
**Carcinogenicity** Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).  
**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Sodium carbonate (497-19-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/L

**Persistence and degradability** Biodegradability does not pertain to inorganic substances.

**Bioaccumulation** Does not bioaccumulate.

**Mobility** Dissociates into ions.

**Other Adverse Effects** None known.

### 13. DISPOSAL CONSIDERATIONS

**Waste disposal methods** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations.



**Contaminated Packaging**

Dispose of in accordance with local regulations.

### 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED  
**TDG** NOT REGULATED  
**ICAO/IATA** NOT REGULATED  
**IMDG/IMO** NOT REGULATED

SDS # : 497-19-8  
 Revision Date: 2015-04-30  
 Format: N/A  
 Version 5.01

### 15. REGULATORY INFORMATION

#### U.S. Federal Regulations

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations

#### International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium carbonate 497-19-8 ( 100 )	X	X	X	X	X	X	X	X

**Mexico - Grade**

Moderate risk, Grade 2

**WHMIS Hazard Class**

D2B - Toxic materials, Eye irritation  
 Class E : Corrosive to aluminum. Not corrosive to animal skin or carbon steel.



D2B - Toxic



E - Corrosive

SDS # : 497-19-8  
 Revision Date: 2015-04-30  
 Format: N/A  
 Version 5.01

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special Hazards</b> -
<b>HMIS</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Physical hazard</b> 0	<b>Personal Protection</b> X

**NFPA/HMIS Ratings Legend** Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

**Product Certifications**

This product meets the chemical testing specifications defined in the Food Chemicals Codex (FCC), 8th Edition.

This product is certified to NSF/ANSI Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for sodium carbonate, anhydrous is 150 mg/L under NSF/ANSI Standard 60.



OU Kosher Certification



Certified to NSF/ANSI 60



**American Water Works Association**

THIS SAFETY DATA SHEET (SDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. AQUA TRI® BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS SDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT AQUA TRI® SDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT. .

End of Safety Data Sheet